



OpenEMIS

Better data. Better outcomes.

Brand Identity

Logo Breakdown

The logo is made up of three different parts.

The three stickman with square hats.

The word **OpenEMIS**.

The Tagline '**Better data. Better outcomes.**'


Lo gBrB eaBkBadwBn

Height of the logo is measured by the 'S' used in 'EMIS'. It must be the height of 3 'S' stacked up vertically.

LO gBrB pdErwnr

The space between elements is determined by the height of the lower-cased 'e' in the tag-line.

The spacings are 1 'e' wide or tall and has a 1 'e' all around. This is the minimum space for for the logo if used anywhere.



OpenEMIS Logo Usage

There are three variations to it, always use the two-toned version wherever possible. Logo must stand out against its background.

01 Full Logo

This is the original two-toned logo, use this whenever possible.

02 White on Dark

The White on Dark version of the logo will only be used in cases where the background causes the logo to blend in and not stand out.


03 Background Tint

When used on a messy background. You may use a black background tint of 70% opacity following the minimum lock up space for the logo and use the white logo instead.


01



02



03



Logo Colors

Below shows the colors we use in the logo.



HEX #0077D4

RGB 0/119/212

CMYK 82/51/0/0



HEX #7C858C

RGB 124/133/140

CMYK 54/41/38/4

Fonts

Two of them are used. First font is Helvetica Neue, Medium.



Helvetica Neue, Medium


The Helvetica Neue, Medium is used for the main text in our logo.

Aa

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#\$%^&*(),./; '[]{}:"<>?
0123456789

Fonts

Two of them are used. The other is Myriad, Roman.



Myriad, Roman

The Myriad, Roman is used for the slogan in our logo

Aa

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#\$%^&*(),./; '[]{}:"<>?
0123456789

Logo Restrictions

What you should never do when handling OpenEMIS logo.

01 Proportions

Always maintain proportions of the logo. Do not stretch, squish or change the size of the elements individually.

02 Colour

There are only two variations to the for the OpenEMIS logo. One with the blue and gray, the other being single tone and white in colour.

03 Visibility

The logo must be visible and have adequate breathing space. Do not put the logo on a messy background or be too close to another element.

01



02



03




Product colour

Our product colors are chosen based on this color wheel.

Brighter colors for mobile, darker colors for web.

Cold colors for Transactional Data, warm colors for Indicator data.



Mobile - Transactional Data (Bright - Cold Colors)



OpenEMIS EGRA

HEX #FFFF00
RGB 255/255/0
CMYK 10/0/95/0



OpenEMIS Literacy

HEX #CCCC00
RGB 204/204/0
CMYK 27/7/98/0



OpenEMIS Classroom

HEX #99CC00
RGB 153/204/0
CMYK 49/0/100/0



OpenEMIS Staffroom

HEX #66CC66
RGB 102/204/102
CMYK 61/0/74/0



OpenEMIS Quiz

HEX #33CC99
RGB 51/204/153
CMYK 67/0/53/0



OpenEMIS Scanner

HEX #66CCCC
RGB 102/204/204
CMYK 58/0/26/0



OpenEMIS Survey

HEX #009999
RGB 0/153/153
CMYK 79/17/42/2

Web - Transactional Data (Dark - Cold Colors)



OpenEMIS Vaccinations

HEX #00CCFF
RGB 0/204/255
CMYK 65/0/0/0



OpenEMIS Core

HEX #6699CC
RGB 102/153/204
CMYK 63/32/4/0



OpenEMIS Census

HEX #0099FF
RGB 0/153/255
CMYK 73/35/0/0



OpenEMIS School

HEX #3366CC
RGB 51/102/204
CMYK 83/60/0/0



OpenEMIS Logistics

HEX #003399
RGB 0/51/153
CMYK 100/84/8/0



OpenEMIS Exams

HEX #003366
RGB 0/51/102
CMYK 100/83/35/21



OpenEMIS Connect

HEX #666699
RGB 102/102/153
CMYK 69/61/16/2



OpenEMIS Assessments

HEX #006699
RGB 0/102/153
CMYK 100/33/0/40



OpenEMIS SMS

HEX #6633FF
RGB 102/51/255
CMYK 82/76/0/0



OpenEMIS Identity

HEX #6666FF
RGB 102/102/255
CMYK 76/65/0/0

Mobile - Indicator Data (Bright - Warm Colors)



OpenEMIS Visualizer

HEX #CC9933
RGB 204/153/51
CMYK 19/38/87/7



OpenEMIS Profiles

HEX #FF6633
RGB 255/102/51
CMYK 0/71/79/0

Web Indicator Data (Dark - Warm Colors)



OpenEMIS Analyzer

HEX #CC3300
RGB 204/51/0
CMYK 13/90/100/4



OpenEMIS Dashboard

HEX #990000
RGB 153/0/0
CMYK 25/100/100/26



OpenEMIS Monitoring

HEX #CC0066
RGB 204/0/102
CMYK 14/100/26/4



OpenEMIS Modelling

HEX #FF3366
RGB 255/51/102
CMYK 0/88/37/0



OpenEMIS DataManager

HEX #993366
RGB 153/51/102
CMYK 37/89/27/15



OpenEMIS Integrator

HEX #CC6699
RGB 204/102/153
CMYK 20/71/11/0



OpenEMIS Maps

HEX #FF0099
RGB 255/0/153
CMYK 0/100/40/0



OpenEMIS MiniDashboard

HEX #FF0000
RGB 255/0/0
CMYK 0/100/100/0



OpenEMIS Pipeline

HEX #CC33CC
RGB 204/51/204
CMYK 0/75/0/20



OpenEMIS Styleguide

HEX #000000

RGB 0/0/0

CMYK 91/79/62/97